



KELPSTAR BORO



Kelpstar Boron is an extract natural concentrate of Ecklonia brown seaweed maxima enriched with boron, specially designed to encourage flowering e the fruit set

Ecklonia maxima is subjected to a particular mechanical cold extraction process that it does not use

neither heat nor chemicals, so as to obtain a concentrated liquid extract with an unaltered natural phytohormone content.

The foliar application of Kelpstar Boron in pre-flowering improves fruit set and final production both in quantitative and qualitative terms.

IN THE FLOWER

- Promotes the formation of pollen
- Improve fertilization
- Attenuates the phenomena of dripping

IN FRUIT

• Increase the fruit set

Boron is the element most involved in the processes that - determine the success of the fruit set; in particular, it increases the antogenic induction, stimulates the germination of the - pollen tube and increases the receptivity of the stigma.





The use of Kelpstar Boro is authorized in agriculture biological.











DOSES AND METHOD OF USE

CROPS	FOLIAR ml/hl
Floriculture and Ornamental	300-500
Forage	300-500
Fruit	300-500
Industrial	300-500
Horticultural	300-500



www.mugavero.it

info@mugavero.it

+39 091 8533100

Corso Umberto e Margherita 1/B, Termini Imerese (PA), 90018, Italia